

TSXV: ISO OTC: ISENF WWW.ISOENERGY.CA

# Exploring Saskatchewan's Athabasca Basin

November 2022

## **Disclaimer**



#### Information Contained In This Presentation

This presentation is a summary description of IsoEnergy Ltd. ("IsoEnergy" or the "Company") and its business and does not purport to be complete. This presentation is not, and in no circumstances is it to be construed as, a prospectus, an advertisement, or a public offering of securities. No securities regulatory authority or similar authority has reviewed or in any way passed upon the document or the merits of the Company's securities and any representation to the contrary is an offence.

Except where otherwise indicated, the information contained in this presentation has been prepared by IsoEnergy and there is no representation or warranty by IsoEnergy or any other person as to the accuracy or completeness of the information set forth herein. Except as otherwise stated, information included in this presentation is given as of the date hereof. The delivery of this presentation shall not imply that the information herein is correct as of any date after the date hereof.

This presentation shall not constitute an offer to sell or a solicitation of any offer to buy any securities, nor shall there be any sale of any securities in any jurisdiction in which such offer, solicitation or sale would be unlawful. The securities referenced herein have not been, nor will they be, registered under the United States Securities Act of 1933, as amended (the "U.S. Securities Act"), and such securities may not be offered or sold within the United States absent registration under the U.S. Securities Act or an applicable exemption from the registration requirements thereunder.

All dollar amounts referenced herein, unless otherwise indicated, are expressed in Canadian dollars.

#### **Cautionary Note Regarding Forward-looking Information**

The information contained herein contains "forward-looking statements" within the meaning of the United States Private Securities Litigation Reform Act of 1995 and "forward-looking information" within the meaning of applicable Canadian securities legislation. "Forward-looking information" includes, but is not limited to, statements with respect to the activities, events or developments that the Company expects or anticipates will or may occur in the future, including, without limitation, planned exploration activities and completion of the acquisition of the Property. Generally, but not always, forward-looking information and statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or the negative connotation thereof or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved" or the negative connotation thereof.

Such forward-looking information and statements are based on numerous assumptions, including among others, that the results of planned exploration activities are as anticipated, the price of uranium, the anticipated cost of planned exploration activities, that general business and economic conditions will not change in a material adverse manner, that financing will be available if and when needed and on reasonable terms, and that third party contractors, equipment and supplies and governmental and other approvals required to conduct the Company's planned exploration activities will be available on reasonable terms and in a timely manner. Although the assumptions made by the Company in providing forward-looking information or making forward-looking statements are considered reasonable by management at the time, there can be no assurance that such assumptions will prove to be accurate.

Forward-looking information and statements also involve known and unknown risks and uncertainties and other factors, which may cause actual events or results in future periods to differ materially from any projections of future events or results expressed or implied by such forward-looking information or statements, including, among others: negative operating cash flow and dependence on third party financing, uncertainty of additional financing, no known mineral reserves or resources, the limited operating history of the Company, the influence of a large shareholder, alternative sources of energy and uranium prices, aboriginal title and consultation issues, reliance on key management and other personnel, actual results of exploration activities being different than anticipated, changes in exploration programs based upon results, availability of third party contractors, availability of equipment and supplies, failure of equipment to operate as anticipated; accidents, effects of weather and other natural phenomena and other risks associated with the mineral exploration industry, environmental risks, changes in laws and regulations, community relations and delays in obtaining governmental or other approvals.

Although the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking information or implied by forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that forward-looking information and statements will prove to be accurate, as actual results and future events could differ materially from those anticipated, estimated or intended. Accordingly, readers should not place undue reliance on forward-looking statements or information. The Company undertakes no obligation to update or reissue forward-looking information as a result of new information or events except as required by applicable securities laws.

#### **Technical Information**

All of the scientific and technical information in this presentation has been reviewed and approved by Mr. Andy Carmichael, P.Geo., Vice President – Exploration & Development for IsoEnergy. Mr. Carmichael has verified the sampling, analytical, and test data underlying the information or opinions contained herein by reviewing original data certificates and monitoring all of the data collection protocols. Mr. Carmichael is a qualified person for the purposes of NI 43-101.

For additional information regarding the Company's Radio project please refer to the Technical Report entitled "Technical Report for the Radio Project, Northern Saskatchewan" dated effective August 19, 2016 prepared by Tim Maunula, available under IsoEnergy's profile on www.sedar.com. Mr. Maunula is a "qualified person" under NI 43-101.

For additional information regarding the Company's Thorburn Lake project please refer to the Technical Report entitled "Technical Report for the Thorburn Lake Project, Northern Saskatchewan" dated effective September 26, 2016 prepared by Tim Maunula, available under IsoEnergy's profile on www.sedar.com. Mr. Maunula is a "qualified person" under NI 43-101.

For additional information regarding the Company's Larocque East project please refer to the Technical Report entitled "Technical Report on the Larocque East Project, Northern Saskatchewan, Canada" dated July 12, 2022 prepared by SLR Consulting (Canada) Ltd., available under IsoEnergy's profile on www.sedar.com. The "Qualified Person" for the Mineral Resource Estimate is Mark B. Mathisen, C.P.G., Principal Geologist, SLR Consulting International Corp.

## **Background & Approach**



- IsoEnergy formed in 2016 5 Eastern Athabasca properties spun out of NexGen Energy
- Difficult period in the uranium market created an opportunity for the company
- Created a high-quality land position at a time when others were leaving

Athabasca Basin – High Quality, High-Grade Jurisdiction

Strong Technical & Commercial Team

Strategic Timing – Asset Availability & Low Acquisition Costs

Leverage Strengths – Exploration & Capital Markets





# Saskatchewan Based Uranium Explorer





	Name
	Role
Care with	IsoEnergy

Role:
ears with IsoEnergy:
Years in Uranium:

Stephanie	Faizan
eRuyet-Loziak	Shah
Geologist	Geologist
5	5
5	5

Stevie	
Sayazie	
Geotech	
1	
3	

Justin	Keane
Rodko	Baseden
Senior Geologist	Geologist
6	5
8	5

Ashton
Chaykowski
Geologist
3


## Eastern Athabasca Portfolio





#### **Clear Strategy**

- Stake/acquire as much prospective ground in the eastern Athabasca as possible
- Drill around mineralized intercepts not adequately followed up post 2011
- Original 5 properties have grown to over 20 properties today
- Flagship asset is our Larocque East property which is home to the Hurricane Zone – now the world's highest grade uranium deposit
- Portfolio of high-quality exploration properties, including:
  - Geiger covers numerous intersections of weak uranium and uranium pathfinder mineralization, many walk-up drill targets, and thin sandstone cover
  - Collins Bay Extension acquisition located along-trend of, and within 7km of, the Rabbit Lake uranium mine and mill complex
  - Hawk covers over 10km of prospective strike tested by a single drill hole, 2022 geophysics confirmed strong conductors – drill ready
  - Evergreen highly underexplored project straddles basin margin with defined conductors and limited drilling




# Hurricane – Initial Mineral Resource July 2022

## Flagship Asset – Hurricane Zone at Larocque East




- Acquired in May 2018 for \$20K and 1M shares
- 100% owned by IsoEnergy
- Hurricane discovered July 2018
  - 8.5m @ 1.26% U<sub>3</sub>O<sub>8</sub> Incl. 2.5m @ 3.58% U<sub>3</sub>O<sub>8</sub>
- 6 drill programs completed since then
- Drilling Highlights include:
  - LE20-32A: 2.5m @ 63.6% U<sub>3</sub>O<sub>8</sub>
  - LE20-34: 5.0m @ 57.1% U<sub>3</sub>O<sub>8</sub>
  - LE20-51: 3.5m @ 30.9% U<sub>3</sub>O<sub>8</sub>
  - LE20-52: 2.5m @ 67.2% U<sub>3</sub>O<sub>8</sub>
  - LE20-53: 3.0m @ 40.4% U<sub>3</sub>O<sub>8</sub>
  - LE20-54: 4.0m @ 27.1% U<sub>3</sub>O<sub>8</sub>
  - LE20-57: 2.5m @ 46.0% U<sub>3</sub>O<sub>8</sub>
  - LE20-64: 4.0m @ 57.5% U<sub>3</sub>O<sub>8</sub>
  - LE20-76: 3.5m @ 74.0% U<sub>3</sub>O<sub>8</sub>
  - LE21-78C1: 2.0m @ 27.6% U<sub>3</sub>O<sub>8</sub>
  - LE21-87A: 7.5m @ 4.5% U<sub>3</sub>O<sub>8</sub>
  - LE21-107: 3.5m @ 34.5% U<sub>3</sub>O<sub>8</sub>



## Hurricane – Initial Mineral Resource Estimate






### **Resource Summary**

- World's highest-grade Indicated Mineral Resource (uranium)
- INDICATED: 48.61 M lbs U<sub>3</sub>O<sub>8</sub> at 34.5% U<sub>3</sub>O<sub>8</sub> within 63.8kt
  - Includes 43.89 M lbs U<sub>3</sub>O<sub>8</sub> at 52.1% U<sub>3</sub>O<sub>8</sub>
- INFERRED: 2.66M lbs U<sub>3</sub>O<sub>8</sub> at 2.2% U<sub>3</sub>O<sub>8</sub> within 54.3kt
- 95.1% of contained metal in Indicated category

Domain	Tonnage	Grade	<b>Contained Metal</b>	
Domain	(000 t)	(% U <sub>3</sub> O <sub>8</sub> )	(Million lb U <sub>3</sub> O <sub>8</sub> )	
High-Grade	38.2	52.1	43.89	
Medium-Grade	25.6	8.4	4.72	
Low-Grade	-	-	-	
	63.8	34.5	48.61	
High-Grade	-	-	-	
Medium-Grade	4.0	11.2	1.00	
Low-Grade	50.3	1.5	1.66	
	<i>54.3</i>	2.2	2.66	


## Hurricane – Insensitive to Cut-Off Grade






- Indicated Resources highly insensitive to cut off grade;
  93.9% of contained metal is retained at COG of 10%
- Mineral resource estimated with a 1% COG same used for Cigar Lake 2016 mineral resource estimate

Resource	<b>Cut-off Grade</b>	Tonnage	Grade	<b>Contained Metal</b>
Category	(% U₃O <sub>8</sub> )	(000 t)	(% U <sub>3</sub> O <sub>8</sub> )	(Million lb U <sub>3</sub> O <sub>8</sub> )
Indicated	0.05	63.8	34.54	48.61
	0.25	63.8	34.54	48.61
	0.50	63.8	34.54	48.61
	0.75	63.8	34.54	48.61
	1.00	63.8	34.54	48.61
	2.00	63.8	34.58	48.61
	3.00	63.4	34.78	48.58
	5.00	60.1	36.54	48.29
	10.00	44.1	46.95	45.65
Inferred	0.05	288.2	0.73	4.67
	0.25	199.6	0.99	4.37
	0.50	124.5	1.37	3.77
	0.75	82.3	1.76	3.20
	1.00	54.3	2.23	2.66
	2.00	11.5	5.57	1.42
	3.00	5.1	9.62	1.08
	5.00	4.0	11.21	1.00
	10.00	2.0	13.42	0.61




## Hurricane – Key Strategic Advantages





- Very high-grade mineralization over widths and thicknesses seen at major deposits – up to 12m thick x 125m wide
  - 43.9M lbs at 52.1%; 48.6M lbs at 34.5%
- Relatively shallow depth of 325m
- Located near significant infrastructure of Eastern Basin roads & power
- 40km from Orano's McClean Lake mill
- No water cover
- Borders Cameco/Orano Dawn Lake JV active adjacent to Hurricane
- Mining innovation has been a constant in the history of the Basin new low-cost techniques emerging for unconformity hosted uranium deposits





## **Recent Exploration**



#### **Summer 2021**

- Over 16,000m of drilling on Larocque East and Geiger
  - 12,000m on Larocque expansion, infill and exploration
  - 4,000m on Geiger's eastern side
- Geophysics completed on Larocque East, and Collins Bay Extension


#### **Winter 2022**

- 11,900m of drilling on Larocque East
  - 2,400m follow up to mineralization intersected at Hurricane in summer 2021
  - 9,500m exploration of conductive trend,
    following up on 2019-2021 geophysical targets
- Geophysics completed on Geiger, Ranger and Hawk



## Larocque East – Winter 2022 Drilling






### **Exploration East of Hurricane**

- 15km of conductors related to the Larocque
  Trend are present at Larocque East
- Pre-2022 IsoEnergy drilling limited to 2019
  Resistivity footprint
- Several historical drill holes east of the Hurricane zone have intersected weak uranium mineralization and/or elevated geochemistry
- 9,500m to follow up existing drilling and test geophysical targets
- Prioritized targets inaccessible in summer

## Geiger – Winter 2022 Ground Geophysics





#### **Shallow and Underexplored**

- Drill Target Generation
- Ground Electromagnetic surveys in prospective Q23 and Q48 areas
- Both areas contain historical conductors within magnetic low zones and shallow depth to unconformity (250-275m)

#### **Q23**

- Only two drill holes in area including one abandoned before target
- Both intersected favourable sandstone alteration and structure
- One intersected weak mineralization in the basement


#### **Q48**

- Lies along strike of Murphy Lake occurrence (0.25% U<sub>3</sub>O<sub>8</sub> / 6.0m) and strong alteration with anomalous geochemistry in H5 area
- Single drill hole completed in area intersected major zone of faulting and alteration in sandstone

## Hawk and Ranger – Winter 2022 Ground Geophysics




#### Ground EM surveys completed at Hawk and Ranger to advance projects to drill ready state



#### Hawk

- Covers at least 10 km of prospective magnetic low corridor hosting EM conductors
- Single drill hole within project failed to intersect conductive rocks entire trend is untested
- Six widely-spaced survey lines planned to generate targets for firstpass diamond drilling



#### Ranger

- Ten survey lines to pinpoint historical conductors
- Limited historical drilling is confined to southeastern corner of survey area
- Shallow depth to Unconformity (230-300m)

## **2022 Summer Exploration Program**




#### 7,000m of drilling

- Larocque East 2,000m to continue to explore the Larocque Lake conductive trend and assess prospectivity of the Kernaghan trend
- ii. Geiger 3,000m to follow up of winter 2022 geophysical results – Fixed Loop Transient Electromagnetic (FLTEM) surveying mapped out 35km of conductor strike
- iii. Trident 2,000m over four target areas characterized by presence of electromagnetic (EM) conductors. Primary objective to assess targets for presence of significant basement structures.
- Airborne geophysical surveying undertaken at early stage projects:
  - Evergreen
  - Spruce
  - East Rim
  - Edge
  - Full Moon



## Larocque East – Summer 2022 Drilling






### **High Priority Targets on Key Trends**

- J-Fault completely untested over 1.1 km strike length just east of Hurricane
  - Strong sandstone alteration and highly anomalous geochemistry are present
- Eastern portion of prospective Larocque trend remains untested by IsoEnergy
  - Hosts several historical intersections of weak mineralization
- Kernaghan trend untested by IsoEnergy
  - Two historic drill holes over 3.4km
  - 45m unconformity topography, elevated geochemistry

# Geiger – Summer 2022 Drilling






### **First-Pass Drill Testing**

- Eight drill holes totaling 3,360m
- Follow-up winter 2022 geophysical surveys
  - Defined >35 km conductor strike in two areas
- Shallow depth to unconformity (<300m), underexplored, favourable historical drilling

## **Trident – Summer 2022 Drilling**






### **First-Pass Drill Testing**

- Six drill holes totaling 1,290m
- Assess for presence of favourable basement geology four target areas
  - Magnetic lows with conductors not covered by waterbodies
- Project is immediately adjacent to
  Athabasca Basin Edge no sandstone cover
- Very limited historical drilling

## Airborne Geophysics – Summer 2022





### **Advancing Early-Stage Projects**

- Extensive project-scale airborne surveying to assess prospective, highly underexplored projects
- Simultaneous gravity gradient, magnetic, and radiometric (spectrometer) data collection
- Improve geological knowledge, map potential alteration zones, identify radioactive boulder trains such as those that led to Key Lake, Midwest, Triple R discoveries

## **Opportunities and Partnerships**





## **Actively Seeking Service Providers and Workers**

- Grass Roots
  - Soil samplers
  - Prospecting crews
- Geophysics
  - Survey Crew Members
  - Line Cutters
- Diamond Drilling
  - Driller's helpers
  - Geotechnicians
  - Reclamation

## Contact





## **Management**

#### **Tim Gabruch**

President and Chief Executive Officer

Email: tgabruch@isoenergy.ca

Direct: +1 306 261-6284

#### **Graham du Preez**

**Chief Financial Officer** 

Email: gdupreez@isoenergy.ca

Direct: +1 639 994-7787

